

P WER **BOX**

Powered storage solutions



POWERBOX powered storage solutions

The only charging locker on the market tested to this highest standard for your peace of mind **BS EN ISO/IEC 17050-1:2010**

When safety is your priority, Probe Powerbox have been tested like no other for your peace of mind!



WORK SAFE

**UK
CA**
BS EN ISO/IEC
17050-1:2010



NEW PROBE POWER SPINE

The Probe power spine is at the heart of our Powerbox range of charging lockers, choose from **USB-C & USB-A or UK 240v**. These are supplied with an **IEC-C inlet** which is powered by a 2 metre 'kettle lead' with a **10Amp fused RCD cable**.



TABLETS

Probe have designed a range of charging lockers specifically for charging and securely storing tablets. Whether you need individual secure compartments or a single door to multiple compartments for quick access, Probe have the solution.



MOBILE DEVICES

Probe offer a range of charging lockers specifically designed for small devices including phones and tablets, ideal for businesses wanting to keep phones off desks removing distraction and increasing productivity.



LAPTOPS

We now use laptops in more numbers than ever before, ideal for schools, colleges and Universities, Probe have a range of laptop charging lockers designed to keep laptops safely charged and ready to go.



POWER TOOLS

Probe build tough lockers, now with in-locker charging, these can be used in workshops keeping employees tools securely charged and ready to go.



MEDICAL FACILITIES

Charging lockers can be a lifeline for patients and staff alike, whether for mobiles, tablets or laptops, Probe have an answer.



RETAIL

Keep staff mobiles off the shop floor, charge tablets or phones in the store room or even offer shoppers a convenient place to safely charge their mobile device.



WAREHOUSES

Charge and store mobile devices and tablets securely and safely knowing they'll be fully charged ready for the next shift.



LEISURE CENTRES

Ideal for Staff and customers alike, allowing safe and secure charging or storage of their mobile devices.



EDUCATION

We now use mobile devices in larger numbers than ever before, ideal for schools, colleges and Universities.



OFFICE

Keep distractions off the desk, Probe charging lockers keep productivity up while keeping employees devices fully charged.



TRANSPORT HUBS

Transport hubs see thousands of passengers pass through every day, with coin retain locks on Probe charging lockers you could even generate revenue.



CALL CENTRES

With high efficiency being vital in call centres, Probe charging lockers keep distracting devices out of reach while keeping devices charged for the commute home.

LAPBOX

Charge and store all your devices confidently, safely and securely...



LAPBOX USB or 240V

Always ready and fully charged...

UK The only charging locker tested to this highest standard
CA for your peace of mind **BS EN ISO/IEC 17050-1:2010**



DOOR COLOURS AVAILABLE

- BLUE**
Similar to RAL 5019
- RED**
Similar to BS 04 E53
- ORANGE**
RAL 2003
- OCEAN**
RAL 5024
- JADE**
RAL 6021
- WHITE**
RAL 9016

BODY COLOUR
WHITE RAL 9016

Probe Steel Products are fire tested and approved in line with British Standard - BS 6396: 2008+A1:2015

LAPBOX 240V or USB-C and USB-A







Probe offer a comprehensive range of charging and storage lockers for a variety of smart devices. You can choose from mobile or static, there's a smart charging solution to suit your needs.

The only charging locker tested to this highest standard for your peace of mind.

**BS EN ISO/IEC UK
17050-1:2010 CA**



All Powerbox lockers should be fixed off the wall, with battens, by 25mm for air movement.



Please note that due to printing restrictions colours represented may differ from supplied product. All sizes are nominal.

*Please consider the charging plug when ascertaining if your device will fit in the locker compartment. Electronic devices and charging cables not included.

Features & benefits

- Tested to the highest standards UKCA
- Great range of sizes and styles available
- Doors secured by a sturdy hinge
- Robust and sturdy steel construction
- A wide variety of locking solutions are available
- Lock covers allow for numbering on every door for easy identification



TABBOX charge and store

Charging and storage lockers for smaller devices. You can choose from **powered** or **non-powered**, mobile or static, there's a smart device solution to suit your needs. All powered units are available with 3 pin or usb sockets. Vision panels/windows are available on all units excluding single door units. Vision panels/windows are available on all units excluding single door units.

PROBE



UK CA The only charging locker tested to this highest standard for your peace of mind **BS EN ISO/IEC 17050-1:2010**



Please note that due to printing restrictions colours represented may differ from supplied product. All sizes are nominal.

TABBOX 240V or USB-C and USB-A

UK CA The only charging locker tested to this highest standard for your peace of mind **BS EN ISO/IEC 17050-1:2010**




Features & benefits

- Tested to the highest standards **UKCA**
- Great **range of sizes and styles** available
- Doors secured by a **sturdy hinge**
- Robust and **sturdy steel construction**
- Lock covers allow for numbering on every door for **easy identification**
- A wide **variety of locking solutions** are available
- Vision panels available on Tabbox lockers at additional cost



PROBE FIRE ZERO
EN 13601-1:2007+A1:2008

AC+IVE COAT
anti-bacterial technology



*Please consider the charging plug when ascertaining if your device will fit in the locker compartment. Electronic devices and charging cables not included.

TOOLBOX charge and store

Our new Toolbox is ideal for large managed buildings that may have several maintenance personnel on-site or even construction sites allowing contractors to store and charge their equipment safely and securely. With a coin operated lock specified, these units can even generate revenue.

UK The only charging locker tested to this highest standard
CA for your peace of mind **BS EN ISO/IEC 17050-1:2010**



All Powerbox lockers should be fixed off the wall, with battens, by 25mm for air movement.

AIR VENT SYSTEM ON EACH DOOR

WELDED INTERNAL DOOR STRENGTHENER

5 KNUCKLE HINGES

WELDED COMPARTMENT DIVIDER FOR HIGHER SECURITY

THROUGH FRAME LOCKING
 For added security, the cam locates through aperture in frame preventing door being easily forced open.

10 MICRO SPRUNG DISC LOCK

MANUFACTURED WITHOUT COMPROMISE
 Frame **.9mm** steel
 Doors **.9mm** steel
 Body **.7mm** steel

AC+IVECOAT
 anti-bacterial technology

PROBE FIREZERO
 EN 13501-1: 2007+A1: 2008

460mm 380mm 1780mm

Please note that due to printing restrictions colours represented may differ from supplied product. All sizes are nominal.

TOOLBOX 240V or double USB

Ideal for warehouses, factories and building sites,
 The only charging locker tested to this highest standard
 for your peace of mind...



Image for illustration purposes only, all units should be securely fixed to avoid tipping.

*Please consider the charging plug when ascertaining if your device will fit in the locker compartment. Electronic devices and charging cables not included.



10 COMPARTMENT 10 DOOR STD

HEIGHT	WIDTH	DEPTH	ORDER CODE	POWER OPTION	VERTICAL ENTRY
mm	mm	mm			mm
1780	380	460	LAP/701518/10/USB	USB A and USB C	150
1780	380	460	LAP/701518/10/PLUG	3 PIN	150
1780	380	460	LAP/701518/10/ST	NONE	150



10 COMPARTMENT 1 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	POWER OPTION	VERTICAL ENTRY
mm	mm	mm			mm
1780	380	460	LAP/701518/SD/10/USB	USB A and USB C	150
1780	380	460	LAP/701518/SD/10/PLUG	3 PIN	150
1780	380	460	LAP/701518/SD/10/ST	NONE	150



15 COMPARTMENT 15 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	POWER OPTION	VERTICAL ENTRY
mm	mm	mm			mm
1780	380	460	LAP/701518/15/ST	NONE	95



15 COMPARTMENT 1 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	POWER OPTION	VERTICAL ENTRY
mm	mm	mm			mm
1780	380	460	LAP/701518/SD/15/ST	NONE	95



8 COMPARTMENT 8 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	POWER OPTION	VERTICAL ENTRY
mm	mm	mm			mm
1000	380	460	LAP/701518/8/USB	USB A and USB C	95
1000	380	460	LAP/701518/8/PLUG	3 PIN	95
1000	380	460	LAP/LOW/8/ST	NONE	95



8 COMPARTMENT 1 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	POWER OPTION	VERTICAL ENTRY
mm	mm	mm			mm
1000	380	460	LAP/SD/8/USB	USB A and USB C	95
1000	380	460	LAP/SD/8/PLUG	3 PIN	95
1000	380	460	LAP/LOW/SD/8/ST	NONE	95



16 COMPARTMENT 2 DOOR TROLLEY

HEIGHT	WIDTH	DEPTH	ORDER CODE	POWER OPTION	VERTICAL ENTRY
mm	mm	mm			mm
1100	900	540	LAP/TROLLY/401518/2/8/USB	USB A and USB C	95
1100	900	540	LAP/TROLLY/401518/2/8/PLUG	3 PIN	95
1100	900	540	LAP/TROLLY/401518/2/8/ST	NONE	95



16 COMPARTMENT 16 DOOR TROLLEY

HEIGHT	WIDTH	DEPTH	ORDER CODE	POWER OPTION	VERTICAL ENTRY
mm	mm	mm			mm
1100	900	540	LAP/TROLLY/401518/16/P/USB	USB A and USB C	95
1100	900	540	LAP/TROLLY/401518/16/P/PLUG	3 PIN	95
1100	900	540	LAP/TROLLY/401518/16/ST	NONE	95



10 COMPARTMENT 1 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	DOOR TYPE	POWER OPTION	VERTICAL ENTRY
1780	305	305	TAB/701212/SD/10/USB	(P)lain Door	USB A and USB C	150
1780	305	305	TAB/701212/SD/10/PLUG	(P)lain Door	3 Pin	150
1780	305	305	TAB/701212/SD/10/ST	(P)lain Door	NONE	150



10 COMPARTMENT 10 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	DOOR TYPE	POWER OPTION	VERTICAL ENTRY
1780	305	305	TAB/701212/10/P/USB	(P)lain Door	USB A and USB C	150
1780	305	305	TAB/701212/10/V/USB	(V)ision Door	USB A and USB C	150
1780	305	305	TAB/701212/10/P/PLUG	(P)lain Door	3 Pin	150
1780	305	305	TAB/701212/10/V/PLUG	(V)ision Door	3 Pin	150
1780	305	305	TAB/701212/10/P/ST	(P)lain Door	NONE	150
1780	305	305	TAB/701212/10/V/ST	(V)ision Door	NONE	150



15 COMPARTMENT 15 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	DOOR TYPE	POWER OPTION	VERTICAL ENTRY
1780	305	305	TAB/701212/15/15/P/None	(P)lain Door	NONE	95
1780	305	305	TAB/701212/15/15/Tab/V/None	(V)ision Door	NONE	95



15 COMPARTMENT 1 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	DOOR TYPE	POWER OPTION	VERTICAL ENTRY
1780	305	305	TAB/701212/1/15/P/None	(P)lain Door	NONE	95



8 COMPARTMENT 8 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	DOOR TYPE	POWER OPTION	VERTICAL ENTRY
1000	305	305	TAB/401212/8/P/USB	(P)lain Door	USB A and USB C	95
1000	305	305	TAB/401212/8/V/USB	(V)ision Door	USB A and USB C	95
1000	305	305	TAB/401212/8/P/PLUG	(P)lain Door	3 Pin	95
1000	305	305	TAB/401212/8/V/PLUG	(V)ision Door	3 Pin	95
1000	305	305	TAB/401212/8/P/ST	(P)lain Door	NONE	95
1000	305	305	TAB/401212/8/V/ST	(V)ision Door	NONE	95



8 COMPARTMENT 1 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	DOOR TYPE	POWER OPTION	VERTICAL ENTRY
1000	305	305	TAB/401212/SD/8/P/USB	(P)lain Door	USB A and USB C	95
1000	305	305	TAB/401212/SD/8/P/PLUG	(P)lain Door	3 Pin	95
1000	305	305	TAB/401212/SD/8/P/ST	(P)lain Door	NONE	95



16 COMPARTMENT 16 DOOR TROLLEY

HEIGHT	WIDTH	DEPTH	ORDER CODE	DOOR TYPE	POWER OPTION	VERTICAL ENTRY
1100	740	390	TAB/T/401212/16/P/PLUG	(P)lain Door	3 Pin	95
1100	740	390	TAB/T/401212/16/P/USB	(P)lain Door	USB A and USB C	95
1100	740	390	TAB/T/401212/16/V/USB	(V)ision Door	USB A and USB C	95
1100	740	390	TAB/T/401212/16/V/PLUG	(V)ision Door	3 Pin	95
1100	740	390	TAB/T/401212/16/P/ST	(P)lain Door	NONE	95
1100	740	390	TAB/T/401212/16/V/ST	(V)ision Door	NONE	95



16 COMPARTMENT 2 DOOR TROLLEY

HEIGHT	WIDTH	DEPTH	ORDER CODE	DOOR TYPE	POWER OPTION	VERTICAL ENTRY
1100	740	390	TAB/401212/2/8/USB	(P)lain Door	USB A and USB C	95
1100	740	390	TAB/401212/2/8/PLUG	(P)lain Door	3 Pin	95
1100	740	390	TAB/TROLLY/401212/2/8/ST	(P)lain Door	NONE	95



TOOLBOX 4 COMPARTMENT 4 DOOR

HEIGHT	WIDTH	DEPTH	ORDER CODE	DOOR TYPE	POWER OPTION	VERTICAL ENTRY
1780	380	460	CHARGE4/PLUG	Plain Door	3 Pin	380
1780	380	460	CHARGE4/USB	Plain Door	USB A and USB C	380
1780	380	460	CHARGE4PERF/PLUG	Perforated Door	3 Pin	380
1780	380	460	CHARGE4PERF/USB	Perforated Door	USB A and USB C	380
1780	380	460	701518/4	Plain Door	NONE	380
1780	380	460	701518/4/PERF	Perforated Door	NONE	380

*Included in locker price. Request lock type at time of ordering.



PROBE CAM LOCK*

Even the standard lock has a micro sprung 10 disc lock featuring a massive 3000 serial combinations - all exclusive to Probe. Two keys are included with each standard lock.



HASP AND STAPLE*

Attractive design allowing easy use of padlock fitting. Shank diameter maximum 7mm and minimum 5mm. Padlock sold separately.

REPLACEMENT HASP & STAPLE

This Hasp & Staple is available to purchase separately if you need to change your existing lock.



RADIAL PIN LOCK - 10,000 COMBINATIONS


This Radial Pin Lock is designed for greater levels of security. Two keys are included with each lock.



NIMBUS RFID LOCK

The Nimbus RFID digital lock provides contactless locking and is compatible with RFID standards and incorporates a membrane touchpad for ease of programming. The keypad can also be used to override the lock when required.

- **CAN BE USED HORIZONTALLY**
Subject to minimum order quantity. Specify when ordering.



NEW GEMINI 3700 DIGITAL COMBINATION LOCK

This small and innovative lock is available in both flush and surface mount and in a silver or black finish. The small footprint and option of vertical or horizontal orientation make the Gemini a neat and flexible choice. Master override key sold separately.

- **CAN BE USED VERTICALLY**
Subject to minimum order quantity. Specify when ordering.



NEW GEMINI 2700 MECHANICAL COMBINATION LOCK

This small and innovative lock is available in both flush and surface mount and in a silver or black finish. The small footprint and option of vertical or horizontal orientation make the Gemini a neat and flexible choice. Master override key sold separately.

- **CAN BE USED VERTICALLY**
Subject to minimum order quantity. Specify when ordering.



RE-PROGRAMMABLE COMBINATION LOCK


User Re-programmable

An effective 4 digit code combination lock with 10,000 possible combinations, making losing keys a thing of the past. Suitable for multi user applications. Master override key sold separately.



DIGITAL COMBINATION LOCK 40,000 COMBINATIONS

- Emergency access using service key
- Simple to program
- Batteries last up to 50,000 operations
- Single user supplied as standard
- Multi user available (specify when ordering)
- **CAN BE USED HORIZONTALLY**
Subject to minimum order quantity. Specify when ordering.



Images may differ from items supplied, functions will be equivalent. We reserve the right to alter the design and specification of any product on this page without prior consent.